
# AFTER-HOURS REGISTRAR ORIENTATION

SHIVAM AGRAWAL CLINICAL SUPERINTENDENT – MEDICINE STAFF SPECIALIST HAEMATOLOGIST PRINCE OF WALES HOSPITAL 05 FEB 2024

#### **OVERVIEW**

- Overview of the ASB
- After-hours Registrar Roles and Responsibilities
- Handover
- Code Blue Response
- ECMO/ECPR
- Stroke Calls
- Critical Bleeding Protocol
- eMR at POWH

#### ACUTE SERVICES BUILDING



## **OVERTIME HOURS**

#### Weekday evening 1630 – 2230

- Afternoon handover 1630 South Meeting Room 1&2, Level 4, ASB
- Night handover 2200 JMO Lounge, Level 3, Campus Centre
- Weekend / Public Holiday 0830 2230
  - Handover 0830 and 2200 JMO Lounge, Level 3, Campus Centre
  - Night handover 2200 JMO Lounge, Level 3, Campus Centre
- Night shift 2200 0900

## AFTERHOURS TEAM MEMBERS: EVENINGS AND WEEKENDS (NOT INCLUDING NIGHTS)

- Two medical registrars
  - Acute Services Building (ASB) medical registrar
  - Dickinson (D) medical registrar
- Six JMOs
  - Three JMOs for ASB
  - Three JMOs for Dickinson building and other non-ASB areas
  - Additional JETS (surgical) JMO
- Advanced Practice Nurse
- ICU Liaison Nurse
- General Surgical Registrar
- Orthopaedic Registrar (on-site until 11pm)
- ICU & HDU Registrars
- Anaesthetics registrar

## **TEAM MEMBERS - NIGHTS**

#### Two medical registrars

- Acute Services Building (ASB) medical registrar
- Dickinson (D) medical registrar
- Four JMOs
  - Two JMOs for ASB
  - Two JMOs for Dickinson building and other non-ASB areas
- Advanced Practice nurse
- General surgical registrar
- Anaesthetic registrar
- ICU/HDU registrar

DUTY	ASB REGISTRAR (ASB and ASBW) Pager 44168	DICKINSON REGISTRAR (D and DW) Pager 44167
Reviews and	Neurology/Neurosurgery (including COU and	Renal inpatients –DB4
responds to	acute stroke unit) - A8N/A8S	Cardiology/Cardiothoracic surgery
Rapid	Respiratory/ID (including Respiratory COU) – A7N	(including CCU) – D3N/D3S/CCU
Response	Aged Care Acute – A5N	General surgery – D2S
calls on	Orthopaedics/Urology – A5S	Plastic/ENT surgery –D2N
admitted	Haematology/Oncology/Palliative Care – A4N	Peri-operative Unit – D1
medical	Aged Care Rehab + AACE – A4S	Repardialysis – P3W
patients	Community assessment unit – A3S	Discharge Lounge/Ambulatory Care –
Supervises	PECC – ASB Level B2	P2W
and supports	FECC - AJD LEVELDZ	General Rehabilitation – P1W
JMOs		
(including		Spinal Acute & Spinal Rehab – CS1W
attending		Recovery + operating theatres – CC1
handover)		Kiloh (Psychiatry), Euroa (Aged Care
Provides		Psychiatry), MHICU
after-hours		Nelune/Bright Alliance Building
consultative		Royal Hospital for Women + Sydney
services		Children's Hospital
for surgical		
and other		
teams Takes calls	Normala ar Despiratory Infantious Diseases	Cardialary Castroontanalary
from the ED	Neurology, Respiratory, Infectious Diseases, Geriatrics, Haematology, Medical Oncology and	Cardiology, Gastroenterology, Endocrinology, Rheumatology,
to review	Palliative Care admissions	Nephrology and undifferentiated
patients		admission
being		dumission
admitted		
upder:		
Code blue	ASB (EXCEPT Helipad)	All non-ASB response areas
team		
responsibility		
Stroke Codes	ASB (including ED)	All non-ASB areas


### IN CHARGE MEDICAL REGISTRAR

#### ASB medical registrar

- Leads handover
- Responsible for identification and management of after-hours medical staffing issues
  - Ensuring that all rostered medical staff have attended; calling in JMOs who are on call; redistribution of workload of JMO staff as required
- Is the 'on-site' medical administrator and liaises with the Executive-On-Call for significant staffing issues and to advise them of administrative risks
- Assists the Hospital Disaster Controller in the event of an internal or external disaster
- Assists the Senior Nurse Managers with medical advice on bed management as required

	Мо	nday – Friday Evenings 1700-2230; Weekends & Public Holidays 0830-2230
Role	Pager	Responsibility
		Overtime ASB JMOs
OA1	44601	Neurology/Neurosurgery (including COU and acute stroke unit) - A8N/A8S
RMO		Respiratory/ID (including Respiratory COU) – A7N
OA2	44169	Aged Care Acute – A5N
Intern		Orthopaedics/Urology – A5S
		PECC – ASB Level B2
		(If OD3 in OT - Kiloh, Euroa, MHICU, Nelune/Bright Alliance building)
OA3	44603	Haematology/Oncology/Palliative Care – A4N
RMO		Aged Care Rehab + AACE – A4S
		Community assessment unit – A3S
		(If OD3 in OT – P1W General Rehab)
		Overtime Dickinson JMOs
OD1	44604	Renal inpatients –DB4
RMO		Cardiology/Cardiothoracic surgery (including CCU) – D3S/CCU
		Spinal Acute & Spinal Rehab – CS1W
		(If OD3 in OT – D3N Cardiology)
OD2	44605	General surgery – D2S
Intern		Plastic/ENT surgery –D2N
		Peri-operative (23hr) Unit – D1
		Renal dialysis – P3W
		Discharge Lounge/Ambulatory Care – P2W
		Recovery + operating theatres – CC1
OD3	47469	Cardiology – D3N
Intern		General Rehabilitation – P1W
		Kiloh (Psychiatry), Euroa (Aged Care Psychiatry), MHICU
		Nelune/Bright Alliance Building
		(On-call for OT assistance) JMOs – evening/wkn

		ight shift 2200-0830 (Monday-Thursday); 2200-0830 (Fri-Sunday)				
Role	Pager	Responsibility				
		Night ASB JMOs				
NA1	44601	Neurology/Neurosurgery (including COU and acute stroke unit) - A8N/A8S				
RMO		Respiratory/ID (including Respiratory COU) – A7N				
		Haematology/Oncology/Palliative Care – A4N				
		(If ND2 in OT – CS1W Spinal Acute & Spinal Rehab, Peri-operative Unit – D1)				
NA2	44169	Aged Care Acute – A5N				
Intern		Orthopaedics/Urology – A5S				
		Aged Care Rehab + AACE – 4S				
		Community Assessment Unit – A3S				
		PECC – ASB Level B2				
		(If ND2 in OT - Kiloh, Euroa, MHICU, Recovery + operating theatres – CC1)				
		Night Dickinson JMOs				
ND1	44604	Renal inpatients –DB4				
RMO		Cardiology/Cardiothoracic surgery (including CCU) – D3N/D3S/CCU				
		(If ND2 in OT - General Rehabilitation – P1W, General surgery – D2S, Plastic/ENT				
		surgery – D2N)				
ND2	44605	General surgery – D2S				
Intern		Plastic/ENT surgery –D2N				
		Peri-operative (23hr) Unit – D1				
		General Rehabilitation – P1W				
		Spinal Acute & Spinal Rehab – CS1W				
		Recovery + operating theatres – CC1				
		Kiloh (Psychiatry), Euroa (Aged Care Psychiatry), MHICU				
		(On call for OT assistance) JMOs — nig				



## PAGERS

- Pagers are collected from handover in South Meeting Room 1&2, Level 4, ASB
- Pagers should be handed to incoming team member or returned to ASB L4 meeting room (in yellow box) at end of shift
- Please notify switchboard if pager issues such as low battery/malfunction
  - If issues with pages that weren't received or sent to the incorrect people, please notify switchboard ASAP and also <u>email the clinical superintendent</u>
- Exception Code Blue pagers (Two pagers)
  - MUST be carried on one's person at all times
  - Must have > 3 bars of battery at all times
  - Pagers are not to be turned off or turned to silent/vibrate
  - Business hours Cardiology BPT and Respiratory BPT
  - After-hours –Dickinson Med Reg and ASB Med Reg



## HANDOVER

#### Weekday afternoon Handover (South Meeting Room 1&2, Level 4, ASB)

- Attended in person by after-hours team
  - ASB & Dickinson medical registrars + surgical registrar
  - 6-7 after-hours JMOs
  - Advanced practice nurse and ICU liaison nurse
  - A medical consultant will also be present to oversee handover

#### VIRTUAL HANDOVER

- Held on Microsoft Teams you will receive invitation via email shortly
- Representative from ALL inpatient teams must attend
- Document attendance online by recording <u>name and team</u> they are representing in the chat group
- If teams have no patients to handover, they can simply log in to the meeting, document their <u>name, team and record 'No patients to handover'.</u>
- Teams with patients to handover should remain online until they are able provide a verbal handover to the afterhours team.

#### HANDOVER PROCEDURE

- Verbal handovers <u>must</u> be accompanied by electronic handover on Census Task List
- Patients who MUST be handed over
  - Unstable, unwell or deteriorating patients
  - Patients who have a code blue in the preceding shift
  - Patients who have had 2 rapid responses in the preceding shift
  - Patients reviewed by ICU/HDU but not transferred to ICU
  - Patients who have had a code black in the preceding shift
  - Patients with acute behavioural changes who are at risk of needing a code black
  - Patients reviewed during an after-hours shift and considered to require care or review on a future shift
  - Unstable patients transferred from ED or ICU to the wards

### EMR HANDOVER – CENSUS TASK LIST

		· · · · ·		
🔐 Census T	E Handover Fo			Add 🔻 🖾 Disc
Age:	🖌 🖃 🚫 🕅 🌾		_	
DOB	*Performed on: 21	1/01/2014 AEDT	By: Murphy, David (Staff Specialist)	
🔒 🕈 Flow	Handover Details	Handover Details		
P Ad Ho				
🗁 Inpati		Handover Reason		
💼 Paedi 🛅 Clinica		O New admission O Ongoing review Priority	O 1 - Urgent	
Disch		O ICU/CCU transfer O Deterioration - behavioural	O 2 - Medium	
Herec		O Patient unstable O Deterioration - clinical	O 3 - Normal	
📩 🗂 Allied				
Pre A		SITUATION BACKGROUND		
Comr		Brief summary of the acute clinical problem(s) Relevant history, exam findings, observations an	nd test results	
💼 Comm 💼 Outpa				
💼 Trial				
🛅 All Ite		ASSESSMENT		
		ASSESSMENT Synthesis of clinical issues requiring review What you want done, by whom and when		
		Has the consultant been contacted about this issue? Action Position Re	enonsible	
		Handover list maintenance	×	
			to another hospital	
		O Remove patient from list from handover list O Transfer to ICU/CCU O Other:		
		O Patient deceased	-	
<		र		
			Chart	Close

#### CODE BLUE TEAM COVERAGE


#### Appendix 1 Randwick Campus- Code Blue Response Areas

AMPUS CENTRE HE BRIGHT BUILDING Level 0-4 Cancer and Haematology Services Level 5-6 Scientia Clinical Research Unit Level 7- Centre for Adolescents and Young Adults Level 8-9 The Sydney Children's Hospital Randwick LINICAL SCIENCES BUILDING **HABETES CENTRE** ICKINSON BUILDING UROA IIGH ST BUILDING IYPERBARIC UNIT JLOH CENTRE IENTAL HEALTH INTENSIVE CARE UNIT 'ARKES BUILDING 'SYCHIATRIC EMERGENCY CARE :ENTRE BA OYAL HOSPITAL FOR WOMEN CH SOUTH EAST WING CH SOUTH WEST WING CH EMERGENCY WING YDNEY CHILDREN'S HOSPITAL xternal Buildings

DMINISTRATION BUILDING 2 LACK DOG INSTITUTE ATHERINE HAYES BUILDING LECTRICAL SUBSTATION DMUND BLACKET BUILDING DMUND BLACKET BUILDING WEST VING (COMPUTER ROOM) IUT U **1CNEVIN DICKSON 1EDICAL SUPERINTENDANTS COTTAGE** 1ETRO CAR PARK 8 IEUROSCIENCES RESEARCH USTRALIA 'ALLIATIVE CARE 'OW CHILDCARE CENTRE ONALD MCDONALD HOUSE YDNEY CHILDREN'S HOSPITAL OMMUNITY HEALTH CENTRE INSW BOOKSHOP GATE NUMBER

> LOCAL CODE BLUE TEAM RESPONSE

NSW AMBULANCE RESPONSE



- Code Blue Response CBR
- Code Blue Team coverage includes:
  - Members of Public/Visitors on Campus
  - Outpatient Departments
  - Eastern Heart Clinic
- Dual activation for:
  - Royal Hospital for Women
  - Adults in Sydney Children's Hospital
  - POWH Pediatric Code Blues

**Emergencies outside these areas are responded to by NSW ambulance** 

## ADDITIONAL AREAS OF COVERAGE

- May be called by Royal Hospital for Women
  - Provide consult service, back up Code Blue response
- May be called by Psychiatric Unit
  - Any unstable patient requiring med/surg input should be transferred back to POWH via NSW ambulance
  - Non-refusal policy in place following Code Blue
  - Transfer under appropriate team if diagnosis known, or to ED if unclear
  - Should be cared for by a member of Code Blue team / consultation team until transfer
- Code Blue team may be called to adult emergencies at SCH
- Recovery/theatres Level 1

## **AFTER-HOURS ESCALATION**

- Specialty teams will have a registrar or consultant as first on-call after hours
  - Will expect to be notified of issues with their patients
  - 2 or more rapid response calls should be discussed with the person on-call for that specialty
  - ALL code blue calls and ICU transfers should be discussed with the person on-call for that specialty
  - Notify about patient deaths, even if expected
- Most teams will conduct weekend ward rounds
  - Not all teams round on both Saturday and Sunday
  - Not all teams will review all inpatients (e.g. stable patients)
  - Call early on weekends/public holidays if a new issue requires review

### AFTER HOURS ISSUES

- Refer to clinical business rules
- Escalate as required
  - APN + after hours nurse manager
  - Consultant on call for patient
  - Executive on call

2:30	• • • • • 4G
WELCOME TO Prince of Wa Change Location	les
Q Search the guide	$\otimes$
A new version of Med App	is available 🛞
A Guide to Med App	After Hours
Clinical Resources	Consults & Referrals
<b>BB</b> Diagnostics & Tests	Education
<u>000</u>	Q+
UPDATES SAVED GU	DIRECTORY MORE

#### ECMO-CPR

- ECPR is available 0800-1600 Monday-Friday only
- Activation begins with resuscitation team leader
  - Refer to simplified inclusion and exclusion criteria
- Activated via 2222 and requesting 'Adult ECMO' and patients location
- Team leader, or delegate, discusses suitability with ICU consultant



#### ECMO FOR USE DURING RESUSCITATION (ECPR) IS AVAILABLE MONDAY-FRIDAY 8AM-4PM

IF THE PATEINT MEETS THE FOLLOWING CRITERIA:

#### INCLUSION

Age ≤70 Known time of arrest Time collapse to effective CPR <5mins Total duration CPR <30mins First rhythm VF/VT or PEA Expected reversible pathology (e.g. MI, PE, toxidrome, peri-partum)

#### EXCLUSION

2.

Age >70 CPR >30mins Asystole Arrest due to trauma or exsanguination Known terminal diagnosis Known major chronic organ dysfunction (*e.g. active malignancy, ESRF, NHYC III/IV*)

If the patient meets these criteria then activate ECMO by calling 2222 and stating that "Adult ECMO" is required at the patient's current location.

E.g. "We require adult ECMO at bed 4 Dickinson 4"

 The caller should ask to be put through to the ICU Consultant on-call to discuss the case. You will need to have relevant clinical details.

#### CONTINUE RESUSCITATION EFFORTS REGARDLESS OF THE ECMO DECISION-MAKING PROCESS




Figure 5.5.2: Activation Pathway for ECPR

### STROKE CALLS

- 'Acute stroke call'
  - For those eligible for reperfusion therapies
  - Can be activated by any staff member by calling x2222
  - ED and inpatients on ward
  - No longer requires code blue to be activated unless airway, breathing or circulation compromise
- Attendance
  - Business hours: stroke team
  - After-hours:
    - ASB medical registrar if in ED or inpatient admitted in ASB
    - Dickinson medical registrar if inpatient in non-ASB area
- RHW + POW Private
  - Local policies then transferred to ED if requiring reperfusion therapies

### STROKE IMAGING

- Ordered as 'CT Stroke Perfusion' in orders
- Transfer to imaging with nurse and member of stroke team at minimum

#### **REPERFUSION THERAPIES**

- Decision determined by discussing with on-call neurologist
- Thrombolysis (tPA)
  - Can be given IN ED, ICU or acute stroke unit (ASU)
- Endovascular Clot Retrieval (ECR)
  - Discussed with on-call neurologist. If Large vessel occlusion (LVO) present and ECR indicated, the neurologist will ask you to speak to the INR Neuroradiologist
- Patients can be cared for in ASU after receiving tPA or ECR if they satisfy clinical criteria and agreed by the treating consultants

### STROKE CALLS - STAND DOWN

- If acute stroke call activated and patient is not eligible for reperfusion therapies or assessment does not favour stroke – STAND DOWN stroke call
- Important for medical imaging
  - CT scanner gets put on hold to allow for urgent neuroimaging
  - It will stay on hold until the stroke call is stood down so please remember to stand down the stroke call if neuroimaging is not required
- Ensure care is handed back to appropriate team (ED or wards)

### POSITIVE BLOOD CULTURES

The after-hours medical registrar <u>must</u> communicate all positive blood culture results received

from microbiology to the treating team

The registrar must also document discussion and plan in the medical record

### CRITICAL BLEEDING PROTOCOL (CBP)


- If you need to activate the Critical Bleeding Protocol (previously known as Massive Transfusion Protocol) you need to:
- Notify blood bank on \*23232.
- You do NOT need to get consent from a haematology registrar or consultant.
  - Blood Bank will ask you if you are using ROTEM or NON-ROTEM algorithm
    - NON -ROTEM = on the ward
    - ROTEM = ICU or theatres
- Send a porter to blood bank with the pink blood form (Authority to issue blood products). This is a mandatory requirement.

#### AUTHORITY TO ISSUE BLOOD PRODUCTS

Please check on Patient Product Inquiry to ensure the blood product is ready for collection prior to requesting the product from Blood Bank.

Unless you have a designated satellite blood fridge please do not request blood products until patient and staff are adequately prepared.

Please deliver to the messenger:	
units Packed Red Cells         units Paediatric Rell Cell Packs         units Platelets         units Fresh Frozen Plasma (adult size)         units Cryoprecipitate         4% Normal Serum Albumin 500mL         20% Normal Serum Albumin 100mL         grams Subcutaneous Immunoglobulin (specify)         Anti-D 250IU         Anti-D 625IU         Prothrombinex-VF®         (print)         Signature         Date:       Time:         Cher:         The messenger must deliver the blood product to the ward/theatre immediately after collection         The blood product must not be stored in a ward or domestic fridge         Mote:       The deliver administering a blood product or it is no longer required it MUST be stored in a satelel	
units Paediatric Rell Cell Packs       Irradiated         units Platelets       CMV negative         units Fresh Frozen Plasma (adult size)       Other         units Fresh Frozen Plasma (adult size)       Critical Bleeding Protocol         units Cryoprecipitate       Non ROTEM         4% Normal Serum Albumin 500mL       Pack 1         20% Normal Serum Albumin 500mL       Pack 2         20% Normal Serum Albumin 100mL       ROTEM         20% Normal Serum Albumin 100mL       ROTEM         grams Intravenous Immunoglobulin Immunoglobulin (specify)       Grams Subcutaneous Immunoglobulin (specify)         Anti-D 250IU       Anti-D 625IU         Prothrombinex-VF®       (other, please specify)         Authorised by:       Time:         Date:       Time:         Cher       Time:         Note:       Time is a delay in administering a blood product to the ward/theatre immediately after collection         The blood product must not be stored in a ward or domestic fridge       If there is a delay in administering a blood product or fits no longer required it MUST be stored in a satel	
<pre>units Paediatric Rell Cell Packs units Platelets units Extended Life Plasma (adult size) units Fresh Frozen Plasma (adult size) units Fresh Frozen Plasma (paediatric size) units Cryoprecipitate 4% Normal Serum Albumin 500mL 20% Normal Serum Albumin 100mL 20% Normal Serum A</pre>	
units Platelets units Extended Life Plasma (adult size) units Fresh Frozen Plasma (adult size) units Fresh Frozen Plasma (paediatric size) units Cryoprecipitate 4% Normal Serum Albumin 500mL 20% Normal Serum Albumin 100mL 20% Normal Serum Albumin 100mL 20% Normal Serum Albumin 100mL grams Intravenous Immunoglobulin (specify) grams Subcutaneous Immunoglobulin (specify) Anti-D 250IU Anti-D 625IU Prothrombinex-VF® (other, please specify) Authorised by: Time: (print) Signature Signature The messenger must deliver the blood product to the ward/theatre immediately after collection The blood product must not be stored in a ward or domestic fridge	
units Extended Life Plasma (adult size) units Fresh Frozen Plasma (adult size) units Fresh Frozen Plasma (paediatric size) units Cryoprecipitate 4% Normal Serum Albumin 500mL 4% Normal Serum Albumin 500mL 20% Normal Serum Albumin 100mL 20% Normal Serum Albumin 100mL 20% Normal Serum Albumin 100mL grams Intravenous Immunoglobulin (specify) Anti-D 250IU Anti-D 250IU Prothrombinex-VF® (other, please specify) Signature Date: Time: Note: The messenger must deliver the blood product to the ward/theatre immediately after collection The blood product must not be stored in a ward or domestic fridge If there is a delay in administering a blood product to the is a delay in administering a blood product or the is no longer required it MUST be stored in a satel	
units Fresh Frozen Plasma (adult size)     units Fresh Frozen Plasma (paediatric size)     units Cryoprecipitate     4% Normal Serum Albumin 500mL     4% Normal Serum Albumin 500mL     20% Normal Serum Albumin 100mL     20% Normal Serum Albumin 100mL     20% Normal Serum Albumin 10mL     grams Intravenous Immunoglobulin Immunoglobulin (specify)     grams Subcutaneous Immunoglobulin (specify)     Anti-D 250IU     Anti-D 625IU     Prothrombinex-VF®     (other, please specify)	
units Cryoprecipitate         4% Normal Serum Albumin 500mL         20% Normal Serum Albumin 500mL         20% Normal Serum Albumin 100mL         20% Normal Serum Albumin 100mL         grams Intravenous Immunoglobulin (specify)         grams Subcutaneous Immunoglobulin (specify)         Anti-D 250IU         Anti-D 625IU         Prothrombinex-VF®         (other, please specify)	
4% Normal Serum Albumin 500mL         4% Normal Serum Albumin 50mL         20% Normal Serum Albumin 100mL         20% Normal Serum Albumin 100mL         20% Normal Serum Albumin 100mL         grams Intravenous Immunoglobulin Immunoglobulin (specify)         grams Subcutaneous Immunoglobulin (specify)         Anti-D 250IU         Anti-D 625IU         Prothrombinex-VF®         (other, please specify)	
4% Normal Serum Albumin 50mL     20% Normal Serum Albumin 100mL     20% Normal Serum Albumin 100mL     20% Normal Serum Albumin 100mL     grams Intravenous Immunoglobulin Immunoglobulin (specify)     grams Subcutaneous Immunoglobulin (specify)     Anti-D 250IU     Anti-D 250IU     Prothrombinex-VF®     (other, please specify)  Authorised by:	
4% Normal Serum Albumin 50mL         20% Normal Serum Albumin 100mL         20% Normal Serum Albumin 10mL         grams Intravenous Immunoglobulin Immunoglobulin (specify)         grams Subcutaneous Immunoglobulin (specify)         Anti-D 250IU         Anti-D 625IU         Prothrombinex-VF®         (other, please specify)         Authorised by:         Time:         Oate:         Time:         Interference         Interference         Interference         Interference         Conterpretence         Anti-D 250IU         Prothrombinex-VF®         (other, please specify)	
20% Normal Serum Albumin 100mL 20% Normal Serum Albumin 10mL grams Intravenous Immunoglobulin Immunoglobulin (specify) grams Subcutaneous Immunoglobulin (specify) Anti-D 250IU Anti-D 250IU Prothrombinex-VF® (other, please specify) Authorised by:	
grams Intravenous Immunoglobulin Immunoglobulin (specify) grams Subcutaneous Immunoglobulin (specify) Anti-D 250IU Anti-D 625IU Prothrombinex-VF® (other, please specify) Authorised by: (other, please specify) Signature (print) Signature Date: Time: Nate: Time:	
grams Subcutaneous Immunoglobulin (specify)	
Anti-D 250IU Anti-D 625IU Prothrombinex-VF® (other, please specify) Authorised by:	
Anti-D 625IU Prothrombinex-VF® (other, please specify) Authorised by:	
Anti-D 625IU Prothrombinex-VF® (other, please specify) Authorised by:	
(other, please specify) Authorised by:	
Authorised by:	
Authorised by:	
Signature Date: Time: lote: . The messenger must deliver the blood product to the ward/theatre immediately after collection . The blood product must not be stored in a ward or domestic fridge . If there is a delay in administering a blood product or it is no longer required it MUST be stored in a satel	
Signature Date: Time: lote: . The messenger must deliver the blood product to the ward/theatre immediately after collection . The blood product must not be stored in a ward or domestic fridge . If there is a delay in administering a blood product or it is no longer required it MUST be stored in a satel	
Signature Date: Time: lote: . The messenger must deliver the blood product to the ward/theatre immediately after collection . The blood product must not be stored in a ward or domestic fridge . If there is a delay in administering a blood product or it is no longer required it MUST be stored in a satel	
Date: Time: Note: . The messenger must deliver the blood product to the ward/theatre immediately after collection . The blood product must not be stored in a ward or domestic fridge . If there is a delay in administering a blood product or it is no longer required it MUST be stored in a satel	
Date: Time: Note: . The messenger must deliver the blood product to the ward/theatre immediately after collection . The blood product must not be stored in a ward or domestic fridge . If there is a delay in administering a blood product or it is no longer required it MUST be stored in a satel	
lote: The messenger must deliver the blood product to the ward/theatre immediately after collection The blood product must not be stored in a ward or domestic fridge If there is a delay in administering a blood product or it is no longer required it MUST be stored in a satel	
<ul> <li>The messenger must deliver the blood product to the ward/theatre immediately after collection</li> <li>The blood product must not be stored in a ward or domestic fridge</li> <li>If there is a delay in administering a blood product or it is no longer required it MUST be stored in a satel</li> </ul>	
The messenger must deliver the blood product to the ward/theatre immediately after collection     The blood product must not be stored in a ward or domestic fridge     If there is a delay in administering a blood product or it is no longer required it MUST be stored in a satel	
If there is a delay in administering a blood product or it is no longer required it MUST be stored in a satel	
	allite
<ul> <li>Single use dispensing applies unless critical bleeding protocol has been activated, apheresis procedure satellite blood fridge is available to store red cells.</li> </ul>	t



### ELECTRONIC MEDICAL RECORDS

- eMeds
- eFluids
- Integrated ECGs
- Advanced Care Planning and Resuscitation Forms

_					
	🖸 Epiphany , Sever	nteen - 11243012 - EC	G - 06 May 2021 1	17:48 AEST	— 🗆 ×
	M 🖬 🐴 🗐	. <b>⇒</b> .		I 🛲 📾 📾	a
			1	proversity .	- 0 ×
File E	idit View Favorites Tools He	whealth.net/library/run_class.php?clas 🔎 In	• 🖬 🖒 🧔 vmsebio-mas002.	nswhealt ×	$\wedge \star \circ$
		entory Home 📋 eHealth Webmail 🧃 S	SESLHD Intranet 🗿 Useful Links		
ate 8	D PR 169 QRSd 94	QT 367 QTc 423 P 53 Q	2RS 54 T 56 Sever	ty Abnormal ECG	Study Loaded Studies Remaining
	aVR	, V1	1.04	10mm/n	Pat ID Last Name First Name Date-Time Performed DOB Age DX Gender Req Provider Race
	hand		v-v-v	Mahah	11243012         EPIPHANY         Seventeen         6-5-2021         17:47:21         1-10-1980         40 yrs         F         72810461           Height/Weight         RX         Dept         Room         Tech         Tech
					cm kg Clinical Engineering
•	A A I ave	V2	L VS		Account # AUID#: Reading Provider 6327559 72810461
~		/v~_	Andreh		Interpretation Status: Unconfirmed
u	I aVF	, V3			Undo Changes Clear Interp Confirm 5 of 13 lines
	man h	mhinh	hala	Mah	ANTEROSEPTAL INFARCT, AGE INDETERMINATE Compared to ECG 05/06/2021 17:46:55 No significant changes
-	hahah	mhahah	hahah	mahal	
STOCK STR	5mm/sec			F 50~ 0.15 - 100 I	Hz
INUS R	OUS 6-5-21 17:46		Seventeen E	PIPHANY	vint
o prev	EPTAL INFARCT, AGE INDETERMINATE ious ECG available for comparisor nically Reviewed On 7-5-2021 9:29			QRSd         QT         QTc         P         QRS           93         349         402         54         53	53
1ecti u	initiality Reviewed On 7-5-2021 5.25	Siss Acst by Andrew Cook			Statements Previous Orders Interpretations Find 1 Statement(s) Found
	avR	V1	١¥	10mm/r	Normal ECG. Sinus rhythm, normal axis and intervals.
m	-h-h-h-	And have a	- V- V- M	minul	Critical Alert ECG
					ECG Report
Th	-hall ave	V2		minu	Category Favorites
					Rhythm Premature Beats & Patterns
n	aVF	A A A V3			Paced Rhythm Axis Blocks
n	-h-h-h-	mannah	- Andra		Infarct P-QRS Complex
					ST-T Wave Pediatrics
	Action List				
	Action	Performed By P	erformed Date	Action Status	Comment Proxy Personnel Requested By Requested [
					contract intervention interventer interventer

### EMR ACP AND RESUSCITATION PLANS

#### **Advance Care Documents**

ius "Jona MRN:11243305 SP:,	Age:49 years DOB:09/09/1972	Sex:Female Emergency: Adv	nit/Reg D	Loc:Emergency D ate: 22/06/21 13:10; Discharge Date: «No Weight :	ept SHH: Amb Bay - Discharge Date>	** Allergies Not Recorded **	Measured Wi	eight:No Weight	Recorded
Menu 9	< 🔹 🕈 Advance Care Documenta						XI	ull screen 💮 Priz	e 👌 🖓 O minutes
latient Information Automation	A5 B   B   B   B   B   B   B   B   B   B								
lowsheet	Resuscitation Plan			II • •	Advance Care	Documentation			E. A
ITF Observation Chart Missance Care Documents	Order Ordering physician: Smith, Peter (Snr. MO) Order signed by: Lukito, William (DBA)			13/10/2021 14:14:19 13/10/2021 14:14:54	Other Advance O	Care Document(s)	24 Mar 202		
Allergies Diagnosis, Allerts & Problems	Clinical Review Calls are to be activated	Yes			d Other Advance Other Advance Ca	Care Document(s) - Scans(1) re Document(s)	24-Mar-2021	Last scan: 24	
Nots View Estories	Rapid Response Calls are to be activated	Yes			Enduring Power of Enduring	r of Attorney - Scans(1) f Attorney	24-Mar-2021	Last scan: 24	
buick Onders Anders 🕂 Add	In the event of cardiopulmonary arrest	For CPR				Directive - Scans(1)	24 Mar 202	Last scan: 24	
Lare Pathways Aedication List	Respiratory Support:	Pharyngeal Suction Supplemental Oxygen		No. No.	Advance Care Dire		24-Mar-2021 24 Mar 202	C) Open	
Aedication Reconciliation Aedication Monitoring	No	n-invasive Ventilation and Mask Ventilation	Yes	has No	Advance Care P Advance Care Plan		24-Mar-2021	Last scan: 24	
LLE: U.R. Summary	Other	Intubation		No		Enduring Guardian	24 Mar 202		
Adication Request	Are other non-urgent inte	Refer patient to ICU eventions appropriate Additional details	Yes	Nai Aas	Enduring Guard Enduring Guardiar		24-Mar-2021	Last scan: 24	
ContinuousDoc		House-al details.	-	Cancel Plan View Full Plan			Advance	Care Plannir	ng Form
Cinical Notes View	Previous Plans				L				

A patient may or may not have a resus plan.

Any scanned documents can be viewed easily from a central place.





### ADVANCE CARE PLANNING DISCUSSIONS

Age:72 years DOB:01/07/1949	Sex:Male Inpatient; Admit/Reg Date: 03/0	Loc:RESP_COVID POW; -; 01 02/22 10:03; Discharge Date: <no -="" date="" discharge=""></no>	** No Known Allergies **	
Flowsheet				
Ad Hoc Charting - Withers , James Fre	derick			- D X
Inpatient Assessments - Adults Paediatics (Inpatients) Clinical Pharmacy Discharge Referral HITH Hereditary Cancer Care Allied Health Mental Health Pre Admission Clinic Community Health - Child, Youth and Fam Outpatients Trial Forms All Items	<ul> <li>Acute Pain Service Review Form</li> <li>Admin Note</li> <li>Admin Note</li> <li>Antimicrobial Allergy Assessment</li> <li>Bacteraemia Notification</li> <li>Bood Glucose Level</li> <li>BTF Escalation - Red Zone - ISLHD</li> <li>BTF Nrs Assess &amp; Action Plan - Yellow Zone - ISL</li> <li>Clinical Procedure Safety Checklist Level 1</li> <li>Clinical Procedure Safety Checklist Level 2</li> <li>Clinical Procedure Safety Checklist Level 1</li> <li>COVID-19 Inubation Documentation</li> <li>COVID-19 Pre-operative Checklist</li> <li>COVID-19 Response Team - Delsolation</li> <li>COVID-19 Response Team - Follow-up</li> <li>COVID-19 Secreting Teat Bedside</li> <li>COVID-19 Response Team - Initial</li> <li>COVID-19 Storwimab Prescribing Declaration</li> <li>Handover Patient</li> <li>Height and Weight</li> <li>Mantoux/ Tuberculin Skin Test</li> <li>Medication Reconcilation</li> <li>B Martoux/ Tuberculin Skin Test</li> <li>Medication Reconsultations</li> <li>Outs Falls Risk Screen</li> <li>Other Charts in Use</li> <li>Patient Belongings</li> <li>Point of Care (Bedside) Blood Tests</li> </ul>	<ul> <li>Pregnancy, Birth and Lactation Status</li> <li>Pressure Injury Notification</li> <li>Record</li> <li>Record of Advance Care Planning discussions</li> <li>Record of Advance Care Planning discussions</li> <li>Record of Advance Care Planning discussions</li> <li>Chubelia dia Referral</li> <li>Update Dosing Weight</li> <li>Utinalysis, Bedside</li> <li>Acute Kidney Injury Mgmt Plan</li> <li>Regional Anaesthetic Interventions</li> </ul>		
	>			

### ID CARDS

- ID cards must be carried at <u>all</u> times
- Please make sure your ID cards are not expired/expiring soon
- If your ID card doesn't allow you to activate code blue mode on the ASB lifts please email me





### CONTACT DETAILS

- Shivam Agrawal
  - shivam.agrawal@health.nsw.gov.au