

SESLHD PROCEDURE COVER SHEET



Health
South Eastern Sydney
Local Health District

NAME OF DOCUMENT	Death – Management of Sudden Unexpected Death in Infancy
TYPE OF DOCUMENT	Procedure
DOCUMENT NUMBER	SESLHDPR/634
DATE OF PUBLICATION	July 2024
RISK RATING	Low
LEVEL OF EVIDENCE	National Safety and Quality Health Service Standards: Standard 1 – Clinical Governance Standard 6 – Communicating for Safety
REVIEW DATE	July 2029
FORMER REFERENCE(S)	NIL
EXECUTIVE SPONSOR or EXECUTIVE CLINICAL SPONSOR	Clinical Stream Director, Paediatrics
AUTHOR	Natalie Darlington, Paediatric CNC – SESLHD Natalie.Darlington@health.nsw.gov.au
POSITION RESPONSIBLE FOR THE DOCUMENT	Alys Swindlehurst HOD Paediatrician TSH Alys.swindlehurst@health.nsw.gov.au
FUNCTIONAL GROUP(S)	Women and Babies Health Child & Adolescent Health
KEY TERMS	Infant, sudden, death, unexpected, emergency, inpatient, maternity, child and family
SUMMARY	The procedure outlines the mandatory requirements of managing an infant less than 12 months of age, whom has died suddenly and unexpectedly. It excludes those that die unexpectedly in misadventures due to external injury or accidental drowning.

COMPLIANCE WITH THIS DOCUMENT IS MANDATORY
This Procedure is intellectual property of South Eastern Sydney Local Health District.
Procedure content cannot be duplicated.

Feedback about this document can be sent to SESLHD-Policy@health.nsw.gov.au

SESLHD PROCEDURE

Death – Management of Sudden Unexpected Death in Infancy

SESLHDPR/634

1. POLICY STATEMENT

South Eastern Sydney Local Health District is responsible for ensuring all its sites have in place mechanisms to coordinate and provide a response for the management of sudden unexpected death of an infant less than 12 months of age that has died suddenly and unexpectedly, based on [NSW Health Policy Directive PD2019_035 - Death - Management of sudden Unexpected Death in Infancy](#). The procedure includes the identification of those facilities where the service is available and aims to ensure all staff treating paediatric patients are educated in the use of this procedure.

Compliance with this procedure is mandatory and should be used:

- When there is an unexpected infant death during a hospital admission, including the delivery suite
- Following an unexpected death of an infant outside hospital, where the infant arrives in an Emergency Department.

2. BACKGROUND

The procedure is in line with up to date evidence and represents [NSW Health Policy Directive PD2019_035 - Death - Management of sudden Unexpected Death in Infancy](#) developed in response to recommendations in the Child Death Review Team (CDRT) Sudden Unexpected Death in Infancy Report (2005). This procedure is designed to clarify recommendations within [PD2019_035](#) and to facilitate its implementation across all SESLHD sites. A flow chart is provided to articulate each local sites procedural response and should be read in conjunction with this procedure.

When this procedure should be used

- When there is an unexpected infant death during a hospital admission
- Following an unexpected death of an infant outside hospital, where the infant is brought into an Emergency Department.

2.2 Definitions

Sudden unexpected death in infancy (SUDI) is the death of an infant:

- Less than 12 months of age
- That was sudden in nature & the cause not immediately apparent at the time of death
- That was unexpected.

Excludes: infants who die unexpectedly as a result of misadventure due to external causes (i.e. motor transport incidents) and accidental drowning.

3. RESPONSIBILITIES

The response to a SUDI is only one aspect of a multi-agency response, designed to complement the work of other agencies (police, ambulance, coroner and forensic pathologist).

SESLHD PROCEDURE

Death – Management of Sudden Unexpected Death in Infancy

SESLHDPR/634

The role as healthcare workers is to provide the healthcare and assessment of the family, remembering that the infant's death will be investigated by external agencies. Support to the family/carers at this time is important and should be provided by staff that have the appropriate knowledge skills and sensitivity to allow the family to say goodbye to their infant.

3.1 Key Person:

This may be the Clinical N/MUM / Nurse Manager, RN in-charge of shift/senior RN, or After Hours Nurse Manager (AHNM). They are responsible for coordinating the immediate care of the parents/family until a Social Worker arrives, or the infant is transferred to SCH-R (Sydney Hospital ED or POWH ED only).

The Key Person will:

- Allocate an experienced RN to remain with the child at all times in the resuscitation room who has the appropriate knowledge, skills and sensitivity to support the family
- Receive handover from police regarding any post mortem objection and government contractor arrangements
- Retrieve policy directive/procedure and makes available to all staff involved in case
- Notify the Social Worker on-call
- Initiate care of the family
- Coordinate transfer of the infant to the morgue by the government contractor if Social Worker, CNUM or AHNM not available

3.2 Police:

If not already involved police must be contacted, as formal identification of the infant in the presence of a family member / Social Worker and notification to the coroner will be necessary. In addition, the police will generally notify the government contractors to arrange transfer of the infant to the morgue if not already contacted as above.

3.3 Social Worker:

The role of the social worker is to act as the conduit between the hospital, the forensic counsellor and the family. Between 5.00pm – 8.00am, **Sydney Hospital** utilises the POWH on call Social Worker. However, the on call Social Worker from Sydney Children's Hospital (SCH) Randwick will assume care on the infant's arrival in the SCH ED.

The Social Worker will:

- Provide care of the family according to [PD2019_035](#) / **SESLHDPR/634**
- Assist at interview of the family with the senior medical officer

SESLHD PROCEDURE

Death – Management of Sudden Unexpected Death in Infancy

SESLHDPR/634

- Attend formal identification of infant with police if not already completed
- Coordinate ongoing care of the family with other health practitioners
- Responsible for paging Forensic Grief Counsellor and handover.

3.4 ED Staff Specialist / Supervisor / CMO

The medical officer's role refers to the most senior medical officer available and will vary depending on the site. For example, at Sydney Hospital ED this may be the Career Medical Officer (CMO) or at other sites – the ED Registrar.

However, the ED Staff Specialist will:

- Follow [PD2019_035](#)/ **SESLHDPR/634**
- Certify extinction of life, informs the family/carer and follows [NSW Health Policy Directive PD2010_054 – Coroners Cases and the Coroners Act 2009](#)
- Report to Child Protection Unit or Social Worker any concerns of child abuse
- Notify the families usual Paediatrician and or General Practitioner (GP) of the infant's death.

3.5 Senior On-call Paediatrician:

The paediatrician may nominate the Paediatric Registrar to attend if they are not available.

The Paediatrician will:

- Follow NSW Health Policy Directive [PD2019_035](#)
- Take a comprehensive medical history from family using [SUDI Medical History Guide](#) attached to PD2019_035, balancing the need for detail and sensitivity
- Ensure that this history is received by the forensic pathologist before the post mortem
- Be informed of any objection to post-mortem or cultural /religious practices put forward and discuss these further with the family and the Coroner
- Coordinate care of family according to Clinical Practice Guidelines including (as appropriate):
 - Investigation for long QT interval in surviving family members
 - Grief counselling services
 - Medical care of family (e.g. lactation advice)
- Ensure GP and Child and Family Health Nurse (CFHN) are notified of death and future care plans
- Offer regular medical follow up to family, including discussion of post mortem and coronial findings when available and appropriate (or refer back to usual paediatrician).

SESLHD PROCEDURE

Death – Management of Sudden Unexpected Death in Infancy

SESLHDPR/634

3.6 Child and Family Health Nurses will:

- Call ambulance and police to home or clinic
- Provide basic CPR until the ambulance arrives
- Stay with family until transport to hospital occurs
- Liaise to find out which hospital the infant was transferred to
- Notify NUM and CNC
- Document in CHOC and report IIMS (SAC 1)
- Offer follow up support to family within 24hours following the death.
- Offer cessation of lactation support and advice if required (see Appendix 6).

The Child and Family Health Nurse will be debriefed and encouraged to use EAP services as soon as possible after the incident. Clinical supervision will be provided if required.

3.7 Line Managers will:

- Ensure that all staff are made aware of the procedure and any updates, and that the procedure is adhered to at all times
- Ensure any related education resources and clinical protocols are readily available in the clinical environment and staff have completed same.

3.8 District Managers/ Service Managers will:

- Ensure the procedure is adhered to.

3.9 Medical staff will:

- Become familiar with this procedure and adhere to it at all times.

4 PROCEDURE

The procedure is to be used for a SUDI under the following circumstances:

- An unexpected death of an infant outside of hospital where the infant is brought to the Emergency Department of any SESLHD Hospital or;
- during an inpatient admission to the Child and Adolescent Unit, Special Care Nursery /NICU, Delivery Suite or post-natal ward(s)
- An unexpected death during a home visit by a Child and Family Health Nurse or at a Child and Family Health clinic.

SESLHD PROCEDURE

Death – Management of Sudden Unexpected Death in Infancy

SESLHDPR/634

The following Appendices outline all Procedural steps to be followed for each of the SESLHD sites:

- **St George and Sutherland Hospital**
Appendix 1: Emergency Department
Appendix 3: Inpatient unit(s)
- **Sydney / Sydney Eye Hospital**
Appendix 2: Emergency Department
- **Royal Hospital for Women**
Appendix 3: Inpatient unit(s)
- **Child and Family Health Services**
Appendix 4: Home visit or in clinic
Appendix 5: NSW Ambulance Service Matrix
Appendix 6: SESLHD Information Bulletin – *Breast Care When Your Baby Has Died*

5. DOCUMENTATION

- PD2008_070 Management of Unexpected Death in Infancy
- SMR040.250 SUDI Medical History
- PD2010_054 Coroner’s Cases & the Coroner’s Act 2009
- [PD2023_019](#) NSW Paediatric Clinical Care and Inter-hospital Transfer Arrangements

6. AUDIT

- Annual audit is required by each site.

7. REFERENCES

- [NSW Health Policy Directive PD2019_035 - Management of Sudden Unexpected Death in Infancy](#)
- Hunter New England Local Health District Policy Compliance Procedure PD2008_070: PCP 1, Version 3: (20 July 2017).
- Central Coast Local Health District Procedure PR2010_064 Version 2: (2013).

8. VERSION AND APPROVAL HISTORY


Date	Version No.	Author and approval notes
7/2/ 2018	Original	Julie Friendship - Paediatric CNC SESLHD Approved by – Dr Daniel Challis, Staff Specialist RHW & Stream Director Women and Children’s Health

SESLHD PROCEDURE

Death – Management of Sudden Unexpected Death in Infancy

SESLHDPR/634

Feb – Oct 2018	1	Revised, endorsed and approved by the relevant hospitals, divisions, streams and committees (Emergency and Women’s & Children’s stream)
November 2018	Draft	Draft for Comment – Processed by Executive Services and comments received
22 March 2019	Draft	Revised by Julie Friendship following consultation period Final draft approved by Executive Sponsor.
March 2019	Draft	Processed by Executive Services prior to progressing to Clinical and Quality Council.
April 2019	0	Approved by Clinical and Quality Council
1 July 2024	1.0	Minor review by Natalie Darlington - Paediatric CNC SESLHD to align with updates from NSW Health Policy Directive PD2019_035.



NOTE: CNUM (Clinical NUM), RN (Registered Nurse), SW (Social Worker), KP (Key Person), GP (General Practitioner), ED (Emergency Department) ED Supervisor must be most senior MO in Charge

APPENDIX 2

Flowchart for the **EMERGENCY DEPARTMENT** Response to **SUDI** at **SYDNEY/SYDNEY EYE HOSPITAL** **PRIVATE VEHICLE ONLY**



ASNSW SUDI response hospital for SSEH is SCH-R and as such, all infants enroute that meet SUDI criteria will be bypassed to SCH – R **unless the infant requires an urgent airway intervention** unobtainable by the ASNSW Paramedic and SSEH is the closer hospital (PD2023_019)

Infant dies suddenly and unexpectedly

Infant is transported to the Emergency Department **IN PRIVATE VEHICLE** and on arrival is triaged as an **ATS 1**, taken to the resus room whilst registered on FirstNet / iPM **OR** is allocated a temporary iPM MRN and provided admission labels

Triage Nurse advises CNUM and ED SS / CMO

SHED CNUM:

- * Notifies AHNM
- * Allocates KP/SRN to remain with infant and family
- * Meets family with SHED SS / CMO
- * **Contacts ASNSW** for urgent transfer to SCH-R (see PD2010_031. pp2 @ 5.1; Appendix 6)

SHED SS / CMO:


- * On arrival, commences or continues resuscitative measures if appropriate, until lack of response is clear, otherwise;
- * Meets family and informs them of the process in transferring them and their infant to SCH-R
- * Contacts **SCH-R ED Admitting Officer** via switch to notify of transfer (see PD2010_031. pp2 @ 5.1)

Family are given the opportunity to spend time with their infant **always under the supervision** of the KP / RN / CMO

NOTE:


CNUM (Clinical NUM), **SRN** (Senior Registered Nurse), **KP** (Key Person – this is a SRN, AHNM or Medical Officer), **SCH-R** (Sydney Children's Hospital (Randwick), **ED** (Emergency Department), **SHED SS** (Sydney Hospital ED Staff Specialist), **SCH-R** (Sydney Children's Hospital—Randwick), **AHNM** (After Hours Nurse Manager), **SSEH** (Sydney-Sydney Eye Hospital), **CMO** (Career Medical Officer), **ASNSW** (Ambulance Service of NSW).

Flowchart for the INPATIENT UNITS Response to SUDI - ROYAL WOMENS, ST GEORGE and SUTHERLAND HOSPITALS



NOTE: CFHN (Child & Family Health Nurse), CISP (Coronial Information & Support Program), DFM (Department of Forensic Medicine), SW (Social Worker), KP (Key Person), RM (Registered Midwife), CMC (Clinical Midwife Consultant), GP (General Practitioner), MUM (Midwifery Unit Manager), TL (Team Leader)

Flowchart for **CHILD AND FAMILY HEALTH NURSES** Response to **SUDI DURING HOME VISIT OR COMMUNITY SETTING**



NOTE: CFHN (Child & Family Health Nurse), NUM (Nurse Unit Manager), CNC (Clinical Nurse Consultant), ASNSW (Ambulance Service NSW), CHOC (Community Health and Outpatient Care)

APPENDIX 5



		ST VINCENT'S HEALTH DISTRICT	SOUTH EASTERN SYDNEY LOCAL HEALTH DISTRICT			
		INPATIENT MEDICAL SERVICES AVAILABLE	INPATIENT MEDICAL SERVICES AVAILABLE			
SPECIALITIES - NSW Ambulance Main Condition per PHCR	Clinical Allocation Number	ST VINCENT'S 91809	POW 91633 ROYAL WOMENS 91634	SYDNEY 91640	ST GEORGE 91637	SUTHERLAND 91638
CARDIAC <i>Non Traumatic</i>	1	YES	YES	NO	YES	YES
OBSTETRIC	2	NO	Royal Women's 20 weeks	NO	YES	YES
PAEDIATRIC	3	NO	NO	NO	YES	YES
STROKE/TIA <i>Cerebral Event</i>	4	YES	YES	NO	YES	YES
ORTHOPAEDICS <i>Simple</i>	5	YES	YES	YES	YES	YES
TRAUMA - T1	6	YES Specialist Facility	NO	NO	YES Specialist Facility	NO
MENTAL HEALTH <i>Behavioral Psychiatric</i>	7	YES	YES	NO	YES	YES
Other	8	YES	YES	YES	YES	YES
Minor Trauma	9	YES	YES	YES	YES	YES
ORTHOPAEDICS <i>Complicated</i>	10	YES	YES	NO	YES	YES
TOXICOLOGY	11	YES	YES	YES	YES	YES
Cardiac PAPA/PHT	12	YES	YES	NO	YES	NO
STROKE <i>Fast Positive</i>	13	YES	YES	NO	YES	NO
Specialty Service					Sexual Assault Service	

APPENDIX 6

Breast care when your baby has died

The death of a baby is a difficult time and it is easy to lose yourself in grief. Caring for your breasts at this time is important as it can avoid other possible health complications. This leaflet offers information and practical suggestions.

From about 16 weeks of pregnancy, colostrum (the early or 'first' milk) is produced. Your hormones will cause your breasts to make milk even though you no longer have your baby. Your milk supply may cause a mixed range of emotions. Many women choose to suppress their supply using natural methods. There is also a medication that stops milk production if taken in the first 24 hours after birth. Your doctor can discuss this with you.

KEEPING BREASTS COMFORTABLE

To lessen any breast discomfort as they fill with milk, you might like to try the following:

- Wear a comfortable, supportive bra both day and night. Use breast pads if leaking occurs.
- Avoid excessive heat on your breasts from hot showers, heat packs etc.
- Apply cold relief to your breasts every few hours, e.g. wrapped icy cloths, gel packs, cold cabbage leaves. Gently hand express

THE DAY OF THE FUNERAL

This will be a long and emotional day. You may find the following helpful:

- wear a comfortable bra
- take pain relief as required, according to directions on pack
- express for comfort before the funeral
- take extra breast pads in case of leakage
- dark coloured or patterned tops are less likely to show wet patches
- a cardigan or jacket may also help.

enough milk to relieve any fullness. This does not increase your supply as you are not emptying the breasts. It may be necessary to keep expressing for comfort for several days.

- Any lumps can be relieved by gently massaging the breast towards the nipple while expressing. If not relieved or you become unwell, seek medical advice.
- Take pain relief as required, according to the directions on the pack.

If your milk supply is established:

Your milk production will continue and may take some weeks to stop. During this time, maintain breast comfort using measures already described.

Gradually decrease how often and how much you express while keeping your breasts comfortable. Seek medical advice if you are feeling unwell or notice any tender red lumps that you can't massage out.

Contacts

- Australian Breastfeeding Association Helpline, Ph: 1800 686 268, 7 days a week, or visit www.breastfeeding.asn.au
- SIDSandKIDS 24 hour Bereavement Support, Ph: (02) 9818 8400 or 1800 651 186 if outside the Sydney Metropolitan area.
- NALAG (National Association for Loss and Grief), Ph: (02) 6882 9222.

South Eastern Sydney and Illawarra Shoalhaven Local Health Districts, 2018.